

<b>Product PN</b>	FP055DXF04QALC01, FP070DXF04QALC01, FP090DXF04QALC01, FP110DXF04QALC01, FP125DXF04QALC01, FP150DXF04QALC01, FP185DXF04QALC01, FP240DXF04QALC01, FP320DXF04QALC01	<b>Mod. 984</b>
<b>Description</b>	Qualitative Filter Papers	<b>Rev. 01</b>

**Qualitative Filter Papers – Low Ash, Very Fast**



<b>PRODUCT DESCRIPTION</b>	<p>Qualitative filter paper, very fast filtration with excellent retention of particles and precipitates (ferric and aluminum hydroxide).</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Part Number</th> <th>Diameter</th> <th>Quantity/pk</th> </tr> </thead> <tbody> <tr> <td>FP055DXF04QALC01</td> <td>55 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP070DXF04QALC01</td> <td>70 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP090DXF04QALC01</td> <td>90 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP110DXF04QALC01</td> <td>110 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP125DXF04QALC01</td> <td>125 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP150DXF04QALC01</td> <td>150 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP185DXF04QALC01</td> <td>185 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP240DXF04QALC01</td> <td>240 mm</td> <td>100/Pk</td> </tr> <tr> <td>FP320DXF04QALC01</td> <td>320 mm</td> <td>100/Pk</td> </tr> </tbody> </table>	Part Number	Diameter	Quantity/pk	FP055DXF04QALC01	55 mm	100/Pk	FP070DXF04QALC01	70 mm	100/Pk	FP090DXF04QALC01	90 mm	100/Pk	FP110DXF04QALC01	110 mm	100/Pk	FP125DXF04QALC01	125 mm	100/Pk	FP150DXF04QALC01	150 mm	100/Pk	FP185DXF04QALC01	185 mm	100/Pk	FP240DXF04QALC01	240 mm	100/Pk	FP320DXF04QALC01	320 mm	100/Pk
Part Number	Diameter	Quantity/pk																													
FP055DXF04QALC01	55 mm	100/Pk																													
FP070DXF04QALC01	70 mm	100/Pk																													
FP090DXF04QALC01	90 mm	100/Pk																													
FP110DXF04QALC01	110 mm	100/Pk																													
FP125DXF04QALC01	125 mm	100/Pk																													
FP150DXF04QALC01	150 mm	100/Pk																													
FP185DXF04QALC01	185 mm	100/Pk																													
FP240DXF04QALC01	240 mm	100/Pk																													
FP320DXF04QALC01	320 mm	100/Pk																													
<b>MANUFACTURE NAME</b>	<p>GVS North America, Inc.          63 Community Drive          Sanford, ME 04073          Phone: +1.866.736.1250          Email: <a href="mailto:CustomerCareGVSLs@gvs.com">CustomerCareGVSLs@gvs.com</a>          Website: <a href="http://www.gvs.com">www.gvs.com</a></p>																														
<b>INTENDED USE/ APPLICATION</b>	<p>Typical Applications:</p> <ul style="list-style-type: none"> <li>• Qualitative analysis</li> <li>• Analysis of Biological and organic fluids</li> <li>• Air Monitoring</li> <li>• Food analysis</li> </ul>																														
<b>MATERIALS</b>	<p>Material: Quartz filter paper</p> <p>Regulatory Documentation Required:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Biocompatibility according ISO 10993-1</li> <li><input type="checkbox"/> IMDS</li> <li><input checked="" type="checkbox"/> Rohs, directive 2002/95/CE</li> <li><input checked="" type="checkbox"/> BSE/TSE, directive 2003/32/CE</li> <li><input type="checkbox"/> DEHP plasticizer and latex free</li> <li><input type="checkbox"/> Aging</li> <li><input checked="" type="checkbox"/> Reach 1907/2006/CE (hazardous substances regulation)</li> </ul>																														



# PRODUCT SPECIFICATION

<b>Product PN</b>	FP055DXF04QALC01, FP070DXF04QALC01, FP090DXF04QALC01, FP110DXF04QALC01, FP125DXF04QALC01, FP150DXF04QALC01, FP185DXF04QALC01, FP240DXF04QALC01, FP320DXF04QALC01	<b>Mod. 984</b>
		<b>Rev. 01</b>

<b>Description</b>	<b>Qualitative Filter Papers</b>
--------------------	----------------------------------

	<input type="checkbox"/> Dir. 67/548/CE and Reg. 1272/2008/CE (medical sector dangerous substances) <input checked="" type="checkbox"/> Conflict minerals <input type="checkbox"/> USP Class VI
<b>PRODUCT CHARACTERISTICS</b>	<ul style="list-style-type: none"> <li>Weight: 85/ gm<sup>2</sup></li> <li>Thickness: 210 um</li> <li>Retention Range: 20-25 um</li> <li>Ash content: &lt;0.06%</li> </ul>
<b>PRODUCT SHELF LIFE</b>	5 years in normal storage conditions: Store the product at room temperate, in a dry place, free of dust and not exposed to direct sunlight.
<b>STERILIZATION</b>	Not applicable - This is a non-sterile product.
<b>PACKAGING AND LABELING</b>	<ul style="list-style-type: none"> <li>100 bulk packed filters in a gloss finished, chipboard box</li> <li>Each box will be labeled with:           <ul style="list-style-type: none"> <li>Quantity</li> <li>Product item code and description</li> <li>Lot number</li> <li>Storage conditions</li> </ul> </li> </ul>
<b>CERTIFICATE OF COMPLIANCE</b>	A conformity declaration will be sent to the customer for each shipment with lot number and date of manufacture. The Quality management system is in compliance with ISO 9001.

This material specification describes the properties of product above indicated.  
 This document contains general requirements, material description, drawing references, defect specification, and biological material requirements.

## REVISIONS AND APPROVALS:

DATE	REV	REASON FOR CHANGE	ISSUED AND CONTROLLED BY: (name /function and signature)	APPROVED BY: (name /function and signature)
11/4/19	0	Initial release	Joe DeSisto, Director, Process Engineering 	Kevin Wrigley/Director of Quality 



FILTER TECHNOLOGY

# PRODUCT SPECIFICATION

<b>Product PN</b>	FP055DXF04QALC01, FP070DXF04QALC01, FP090DXF04QALC01, FP110DXF04QALC01, FP125DXF04QALC01, FP150DXF04QALC01, FP185DXF04QALC01, FP240DXF04QALC01, FP320DXF04QALC01	<b>Mod. 984</b>
<b>Description</b>	<b>Qualitative Filter Papers</b>	<b>Rev. 01</b>

## CUSTOMER APPROVAL:

We accept this material specification as a part of the agreed terms of delivery.

**Company name** \_\_\_\_\_

**Approved by:** \_\_\_\_\_  
(Name, Function) (Signature)

**Date** \_\_\_\_\_  
(Company stamp)

*Please send back this document signed for approval. If we will not receive this specification signed, we consider the first order placed as implicit approval.*